

# Product data sheet

Specifications



## Seismic Kit for 600mm Symmetra PX 100 and Symmetra PX 250/500 Frames



SYOPT600

### Overview

Lead time Usually Ships within 3 Weeks

### Main

Provided Equipment Warranty card

### Physical

Color Black

Height 31.5 in (80 cm)

Width 5.5 in (14 cm)

Depth 4.7 in (12 cm)

Net Weight 17.6 lb(US) (8 kg)

### Conformance

Standards OSHPD

### Environmental

Ambient Air Temperature for Operation 32.0000000000...104.0000000000 °F (0...40 °C)

Operating altitude 0...3333 ft

Relative Humidity 0...95 %

Ambient Air Temperature for Storage 5.0000000000...104.0000000000 °F (-15...40 °C)

Storage altitude 0...3333 ft (0.0000000000...1015.9 m)

Storage Relative Humidity 0...95 %

### Ordering and shipping details

GTIN 731304291077

### Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 31.5 in (80 cm)

Package 1 Width 4.7 in (12 cm)

Package 1 Length 5.5 in (14 cm)

Package 1 Weight 17.6 lb(US) (8 kg)

## Contractual warranty

---

Warranty

1 year repair or replace

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

## Resource performance


 Take-Back Program Available

---

## Well-being performance

 Reach Free Of Svhc

---

 Lead Free

---

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

---

Eu Rohs Directive Compliant  
[EU RoHS Declaration](#)

---

Environmental Disclosure [Product Environmental Profile](#)

---

Circularity Profile [End of Life Information](#)

---