

Symmetra PX 250kW Static Switch Module, 400/480V

SYSW250KD

Overview

Lead time Usually Ships within 6 Weeks

Main

Main Input Voltage	480 V 3 phase 400 V 3 phase
Main Output Voltage	480 V 3 phase 400 V 3 phase
Kw Rating	250000 W
Rated power in VA	25000 VA
Output connector type	Anderson 2
Battery Type	External battery system
Provided Equipment	User Manual

Physical

color	Black
Height	23.3 in (59.1 cm)
Width	19.3 in (49.1 cm)
Depth	33.07 in (84 cm)
Net Weight	174.36 lb(US) (79.09 kg)

Output

Max Configurable Power (Watts) 250000 W

Conformance

 Product Certifications
 cUL Listed

 CE
 UL Listed

 VDE
 VDE

Environmental

Ambient Air Temperature for Operation	32.0000000000104.0000000000 °F (040 °C)
Relative Humidity	095 %
Operating altitude	03333 ft
Ambient Air Temperature for Storage	5.0000000000104.0000000000 °F (-1540 °C)
Storage Relative Humidity	095 %

Ordering and shipping details

GTIN 731304253143

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	36.6 in (93 cm)
Package 1 Width	36.02 in (91.5 cm)
Package 1 Length	30.7 in (78 cm)
Package 1 Weight	231.5 lb(US) (105 kg)

Contractual warranty

Warranty 1 year repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >

Eu Rohs Directive

Jul 26, 2024

Under investigation