

Product data sheet

Specifications



Battery Module for Symmetra PX, Smart-UPS VT or Galaxy 3500



SYBT4

Overview

Presentation	Battery module containing 4 battery units. Compatible with Symmetra PX 20/40/80, Smart-UPS VT, and Galaxy 3500 UPSs.
Lead time	Usually in Stock

Main

Battery Type	Lead-Acid battery
--------------	-------------------

Batteries & Runtime

Battery Placement	Internal Battery
Battery blocks per string	4
Device mounting	Enclosed battery cartridge
Battery Voltage	384 V
Battery Volt-Amp-Hour Capacity	2765 VAh

Physical

Color	Black
Height	6.3 in (15.9 cm)
Width	17.008 in (43.2 cm)
Depth	28.0 in (71.1 cm)
Net Weight	200.42 lb(US) (90.91 kg)

Environmental

Ambient Air Temperature for Operation	32.0000000000...104.0000000000 °F (0...40 °C)
Operating altitude	0...3333 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5.0000000000...104.0000000000 °F (-15...40 °C)
Storage altitude	0...50000 ft (0.0000000000...15240.0000000000 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304238256

Returnability	No
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	18.0 in (45.7 cm)
Package 1 Width	24.02 in (61 cm)
Package 1 Length	33.0 in (83.8 cm)
Package 1 Weight	224.47 lb(US) (101.82 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	7
Package 2 Height	18.0000000000 in (45.72 cm)
Package 2 Width	39.4 in (100 cm)
Package 2 Length	47.2 in (120 cm)
Package 2 Weight	1571.32 lb(US) (712.74 kg)

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)




Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

California Proposition 65

WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov