



# Network UPS 12Vdc. Lithium Battery,19500mAh, BMS, 4LED

CP12142LI

## Overview

Lead time Usually in Stock

#### Main

Main Input Voltage	12 V DC
Product or Component Type	Uninterruptible power supply (UPS)
Main Output Voltage	12 V DC
Kw Rating	38 W
Rated power in VA	140 VA
Battery Type	Li-lon (Lithium Ion)
Provided Equipment	User Manual

## **Batteries & Runtime**

Included Battery Modules	0
Battery Slots Empty	0
Typical recharge time	24 h

## **Physical**

Width	7.4 in (18.8 cm)
Depth	3.8 in (9.6 cm)
Net Weight	1.65 lb(US) (0.75 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Two post mountable	0
USB compatible	No
Height	3.8 in (9.6 cm)

## **Output**

Max Configurable Power (Watts) 38 W

## **Conformance**

Standards EN 55022 Class A
EN 55024
EN 61000-3-2
EN 61000-3-3
FCC Part 15 class B

Equipment protection policy Lifetime: \$25000

#### **Environmental**

Ambient Air Temperature for Operation	32.0000000000113.0000000000 °F (045 °C)
Relative Humidity	095 % non-condensing
Operating altitude	010000 ft
Ambient Air Temperature for Storage	23.0000000000113.0000000000 °F (-545 °C)
Storage Relative Humidity	095 % non-condensing
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

## **Communications & Management**

Control panel	LED status display with on line : on battery : replace battery and overload indicators
Alarm	Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm

## Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304338741
Returnability	No
Country of origin	PH

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.7 in (17 cm)
Package 1 Width	6.1 in (15.5 cm)
Package 1 Length	3.9 in (9.8 cm)
Package 1 Weight	2.25 lb(US) (1.02 kg)
SCC14	10731304338748

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >









Energy Efficient Take-back Transparency RoHS/REACh

## Resource performance



**Energy Efficient Product** 



Take-Back Program Available

## Well-being performance



Rohs Exemption Information

es

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information