# **Product data sheet**

Specifications





# APC Back-UPS Pro External **Battery Pack**

BR24BPG

# **Overview**

Lead time

Usually in Stock

#### Main

Main Input Voltage	120 V
Product or Component Type	Battery backup
Number of cables	1
Battery Type	Lead-Acid battery
Provided Equipment	User Manual

# **Batteries & Runtime**

Device mounting	Stand alone battery stack
Battery life	46 year(s)
Battery Voltage	24 V
Battery Capacity	18 Ah
Included Battery Modules	2
Battery Slots Empty	0
RBC Quantity	1
Battery Volt-Amp-Hour Capacity	372 VAh

**Battery Volt-Amp-Hour Capacity** 

# **Physical**

-	
Color	Black
Height	11.9 in (30.1 cm)
Width	4.4 in (11.2 cm)
Depth	15.04 in (38.2 cm)
Net Weight	29.5 lb(US) (13.4 kg)
USB compatible	No

# Conformance

Product Certifications

ΤÜV

# **Environmental**

Relative Humidity	095 %
Storage Relative Humidity	095 %

Ambient Air Temperature for Storage	5.000000000113.0000000000 °F (-1545 °C)
Ambient Air Temperature for Operation	32.000000000104.0000000000 °F (040 °C)
Operating altitude	030000 ft
Storage altitude	050000 ft (0.00000000015240.000000000 m)

# Ordering and shipping details

Category	11309-APC RESALE PRODUCTS	
Discount Schedule	APC1	
GTIN	731304268789	
Returnability	No	
Country of origin	РН	

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	15.7 in (40 cm)	
Package 1 Width	9.4 in (24 cm)	
Package 1 Length	19.3 in (49.1 cm)	
Package 1 Weight	32.119 lb(US) (14.569 kg)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	24	
Package 2 Height	53.1 in (135 cm)	
Package 2 Width	39.4 in (100 cm)	
Package 2 Length	47.2 in (120 cm)	
Package 2 Weight	770.860 lb(US) (349.656 kg)	
SCC14	10731304268786	

### **Contractual warranty**

Warranty

3 years repair or replace



# Sustainability

Green Premium<sup>TM</sup> label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.



#### **Resource performance**

Take-Back Program Available

#### Well-being performance

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



