



APC Modular Remote Power Panel, 277kVA, 400A, 400V, 72 Pole, 300mm

PDPM277H

Overview

Presentation	A fully scalable power distribution system that cost-effectively provides high levels of availability and enables the quick addition of circuits and cord-sets.
Lead time	Usually Ships within 6 Weeks

Main

Main Input Voltage	400 V 3 phase
Provided Equipment	Installation guide

Physical

Height	78.8 in (200.2 cm)	
Width	11.8 in (30 cm)	
Depth	42.2 in (107.2 cm)	
Net Weight	352.7 lb(US) (160 kg)	
Mounting Location	Front	
Mounting preference	No preference	
Mounting Mode	Not rack-mountable	

Input

Input Frequency	4763 Hz
Load Capacity	277 kW

Output

Maximum Total Current Draw per 400 / Phase

Conformance

Product Certifications CE UL Listed

Ordering and shipping details

GTIN 731304258247

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	88.5 in (224.8 cm)
Package 1 Width	47.5 in (120.7 cm)
Package 1 Length	33.6 in (85.3 cm)
Package 1 Weight	402.74 lb(US) (182.68 kg)

Contractual warranty

Warranty

1 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information