# **Product data sheet**

Specifications





# APC Smart-UPS SRT 19 inch Rail Kit for Smart-UPS SRT 1/1.5/2.2/3kVA

SRTRK4

#### Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock
Main	
Product or Component Type	Rail
Provided Equipment	Installation guide Mounting Hardware Rack Mounting brackets
Range of Product	Smart-UPS Accessories
Physical	
Height	1.7 in (4.4 cm)
Width	20.7 in (52.7 cm)
Depth	3.5 in (8.9 cm)
Net Weight	6.00 lb(US) (2.72 kg)
Mounting Mode	Rack-mounted
Environmental	
Ambient Air Temperature for Operation	-104.8284.000000000 °F (-76140 °C)
Operating altitude	0, 10000 #

Ambient Air Temperature for Operation	-104.8284.0000000000 °F (-76140 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 % non-condensing	
Ambient Air Temperature for Storage	-104.8284.000000000 °F (-76140 °C)	
Storage altitude	010000 ft (0.0000000003048.000000000 m)	

#### Ordering and shipping details

GTIN	731304322436
Country of origin	РН

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 in (7 cm)
Package 1 Width	7.3 in (18.5 cm)



Package 1 Length

27.4 in (69.5 cm)

Package 1 Weight

7.39 lb(US) (3.35 kg)

# **Contractual warranty**

Warranty

2 years repair or replace



Jul 26, 2024

# Sustainability Screen

Green Premium<sup>TM</sup> label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.



Take-Back Program Available

#### Well-being performance

Reach Free Of Svhc

Lead Free

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information



