



APC Smart-UPS SRT 2 Post Mounting Rail Kit for Smart-UPS SRT

SRTRK3

Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock

Main

Product or Component Type	Rail
Provided Equipment	Installation guide Mounting Hardware Rack Mounting brackets
Range of Product	Smart-UPS Accessories

Physical

•	
Height	3.6 in (9.2 cm)
Width	10.2 in (26 cm)
Depth	7.5 in (19 cm)
Net Weight	8.49 lb(US) (3.85 kg)
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature for Operation	-104.8284.00000000000 °F (-76140 °C)
Operating altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature for Storage	-104.8284.0000000000 °F (-76140 °C)
Storage altitude	010000 ft (0.00000000003048.0000000000 m)

Ordering and shipping details

GTIN	731304322382
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	4.6 in (11.8 cm)	
Package 1 Width	8.5 in (21.6 cm)	

Package 1 Length	11.2 in (28.5 cm)
Package 1 Weight	9.3 lb(US) (4.2 kg)

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Reach Free Of Svhc



Lead Free

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information